

MAKE

HISTORY.


Preserve Manitoba's Past.

Glossary of Architectural Terms

Over the course of centuries, architects and builders have developed specialized terms to describe their buildings. This section of the guide provides definitions for some of the more common technical terms. It should be used with reference to other Historic Resources Branch materials that are part of this series (specifically *Architectural Styles in Manitoba* and *Historic Construction Materials and Techniques*) where technical subjects are also discussed. The contents of this section have been drawn from a larger glossary that is included in a more detailed branch publication, *Identifying Architectural Styles in Manitoba*.

This guide groups terms according to how we generally perceive a building, from the large to the small. Thus we start with some of the terms that help describe a building's basic form: the plan and roof shape. Terms that distinguish certain construction materials and techniques are presented next. Windows and doors are often a source of great interest for designers and some of the key technical terms associated with those elements are noted here. Finally, the multitude of details that may be applied to a building are introduced, with some of the more common terms defined.



A host of architectural details, each with its own technical term, animate the Hotel Fort Garry in Winnipeg.



MAKE HISTORY.

Plan Shapes

Whether for the sake of efficiency, cost, tradition, or style, building designers often look to a basic plan shape to determine the overall form, or massing, of their building. The most common shape is the rectangle, but others, illustrated here, are also frequently used.



There are a few additional technical words that are used with reference to the basic shape of a building:

bay

a regularly repeated visual division of a façade

façade

the exterior face or presentable front of a building

pavilion

a part of a façade given prominence because it projects out from the façade

proportion


the relationship between individual elements of a building (such as windows and doors) and their size within the whole building

rhythm

a regularly repeating sequence or pattern

storey

the habitable space between a floor and a ceiling, floor or roof above




MAKE HISTORY.

Roof Shapes

The structural imperative of a roof is to protect the interior and to efficiently shed water and snow. This can be accomplished with a number of shapes, which have been exploited throughout history by building designers. The most common shape is the gable, which can be steep or shallow in its slope. Some other common shapes are noted at right and illustrated below.

- gable
- mansard
- gambrel
- pyramidal
- hipped
- shed





Building Materials and Construction Techniques

This subject is also addressed in *Historic Materials and Construction Techniques*, where basic definitions of materials and construction techniques are explained. There are, however, some technical terms associated with this subject that need further clarification.

Heavy Timber Frame Construction

bent



a prefabricated network of large posts and beams (*right*)

board and batten

wide vertical wood sheathing (boards) with narrow vertical wood strips (battens) covering the joints between the boards (*below*)

peg

a pin or dowel, slightly tapered, used to join two parts together



MAKE HISTORY.

Light Wood Frame Construction

joists

a series of horizontal members used to support floors or ceilings

plate

a member laid horizontally to accept the ends of joists or studs

purlins

horizontal structural members that run perpendicularly across the top edges of other roof members

rafter


a structural roof member that slopes up from the wall to the peak of a roof

studs

a series of vertical members used to support wall sheathing

sheathing

the exterior cladding of a building



MAKE HISTORY.

Brick Construction

bonds

an arrangement of masonry units (brick or concrete block) to provide structural strength and visual appeal; common bonds are called header, stretcher, English or Flemish (illustrated at right)

mortar

a mixture of cement and lime with sand and water used as a bonding agent between masonry units

repointing

to repair the joints in masonry construction with the addition of new mortar

Stone Construction

ashlar

hewn stone blocks with straight-cut edges

coursing

a continuous layer of material, a row

fieldstone

building stone collected from a field

finish

the surface texture; common finishes are rock-faced, rusticated and vermiculated

rustication

stonework emphasized by roughly cut block faces


rubble

construction with fragments of broken stone

vermiculated

ornamentation in stone created with winding, wavy lines, as if caused by worms

Below: Types of typical brick bonds.
The type of bond affects the ultimate appearance of the wall.



MAKE HISTORY.

Windows and Doors

The openings in the walls of a building—the windows and the doors—are the source of great attention in a design. (The technical name for the placement of openings in the walls of a building is *fenestration*, from the French, “fenêtre,” meaning window). The placement and the detail work that comprises windows and doors can be the source of great attention.

Window

Types

- bay
- double hung
- casement
- Palladian



MAKE HISTORY.

Shapes of Openings

- round arch (below left)
- pointed arch (bottom left)
- flat top
- segmental arch (right)
- triangular
- Tudor arch (below right)






Figure 30




Figure 31



trim around a window or door opening

tracery

a pattern of interlocking muntins in the upper part of a Gothic pointed window (see pointed arch drawing, page 5)

transom light

a window located above a door (door drawing)

Parts of Windows and Doors

fanlight

a semi-circular window over a door with radiating bars (or muntins) resembling a fan (refer to drawing of a door, top)

head

the top of a window or door opening (door drawing)

jamb

the vertical member on each side of a window or door opening (both drawings)

label

a moulding that runs across the top and part-way down the sides of a window or door opening (see pointed arch drawing)

lintel

a horizontal beam over a window or door opening that carries the weight of the wall above the opening (refer to the window drawing, bottom)

mullion

a vertical member between adjacent window sashes or between windows and doors (window drawing)

muntin

a small member that supports several pieces of glass within a sash (window drawing)

sash

the framework that holds a piece of glass (window drawing)

shutter

hinged panels used to cover window openings (window drawing)



sidelights

windows located at the sides of doors (door drawing)

sill

the horizontal piece forming the bottom of a window or door opening (both drawings)

surround





Elements and Details

The elements and details that either are part of a building's structure (like the parts of a window) or are applied to it (like cresting or brackets) are often what creates visual delight. The following list of words is only a brief catalogue of the hundreds of technical terms that have been developed over centuries to describe the many and marvellous details of a building.

arch

a curved structure spanning across the top of an opening in a vertical surface (such as a wall)

balcony

a structural platform extending from the wall of a building and enclosed with a balustrade; supported from below or cantilevered from a supporting wall

baluster/balustrade

balusters are upright posts or spindles that support a handrail/a balustrade is a series of balusters under a handrail

bargeboard

a board, often decorative, covering the projecting edge of a gable roof

belt course

a slender, horizontal band that projects from an exterior wall often at window sill or interior floor levels

bracket

an angular support for a horizontal element that projects from a wall

buttress

a vertical structural member resembling a massive post built against an exterior wall

capital

the decorative feature at the top of a column or pilaster

column

an upright post, usually a tapered cylinder, used for support or decoration; in classical architecture a column consists of a base, shaft and capital

corbel

a masonry unit or series of masonry units that progressively step out from a supporting wall or column

corbel table

a projecting line of masonry or belt courses supported by corbels

cornice

a horizontal, projecting decorative moulding along the top of a wall or building, or the top portion of an entablature

crenellation

a series of square indentations in a parapet giving a castle-like appearance

cresting

ornamental ridge, like a miniature fence, along the top of a roof

cupola

a small domed structure on top of a roof or larger dome

dentils

band of small, tooth-like blocks usually used in Classical architecture

dome

a roof structure in the shape of a portion of a sphere

dormer

a roofed projection from a sloping roof often with a window

**eaves**

the part of a sloping roof that overhangs a wall

entablature

the upper horizontal part of a Classical order, consisting of the cornice, frieze and architrave; similar to a beam

gable

the triangular upper portion of a wall formed by the slopes of a pitched roof

half-timbering

a method of construction where the spaces in a timber-frame wall are filled with rubble or brickwork

finial

an ornament at the top of a roof gable, spire or other architectural feature

frieze

the central band in a classical entablature above the architrave and below the cornice; or often a decorative band running under the cornice of an interior or exterior wall

keystone

the central uppermost member of an arch

massing

the organization of three-dimensional volumes or spaces into a coherent composition

moulding

a decorative element that defines edges, joints or surfaces through the use of a continuous profile

parapet

the portion of an exterior wall that projects above the edge of a roof area

pediment

in classical architecture, the triangular end of a low-pitched gable; a triangular element used over doors and windows

pendant

an ornamental feature that hangs down from a supporting structure or architectural feature

pier

a massive vertical support of masonry, placed under columns, arches or walls to support a concentration of loads

pilaster

a shallow pier or post, often decorative, projecting slightly from the surface of a wall; resembles a square post attached to a wall

pinnacle

a small vertical ornament with a spire-like pyramidal or conical shape, usually used to crown buttresses or the corners of parapets and towers

pitch

the angle at which a roof slopes from its peak to its eaves

porch

a structure projecting from a building and located in front of an entrance; usually roofed, often open-sided and occasionally supporting a balcony above

portico

an open-sided porch with a column-supported roof

quoins

stones or bricks used to decoratively emphasize the outside corners of a building

shingles

wood or asphalt tiles for covering roofs and walls

spindle

lathe-turned wood elements, often used as balusters and porch decoration



spire

a tall, narrow, steep roof structure ending in a point, rising from a tower or roof peak

terra cotta

fired clay cast in moulds, often used for decorative elements or to clad a building exterior

tower

a building, either freestanding or attached as a prominent element of another building, of great height compared to its floor area; a slender, tall structure usually rising above the building to which it is attached

turret

a small, slender tower characteristically projecting from the corner of a building

vault

a roof or ceiling structure over an area that is based on the form of an arch

verandah

a roofed porch or balcony attached to the elevation of a building

MAKE HISTORY.

Classical Greek and Roman architecture is defined by a great many technical terms, only a few of which are noted here.

